

CONTENTS

Part I PLENARY LECTURES	1
Genomic insights into the origins of metazoan signaling pathways <i>V. V. Aleoshin and K. V. Mikhailov</i>	3
The Archaeobacterial origins of eukaryotes <i>T. M. Embley</i>	5
iBOL — the International Barcode of Life project <i>N. V. Ivanova and P. D. N. Hebert</i>	6
Maintenance of allelic polymorphism in miRNA824 processing <i>Jim-Yong Hu, Li Lei, and J. de Meaux</i>	7
Expression of evolutionarily new genes in tumors and the possible role of tumors in the origin of new cell types <i>A. P. Kozlov</i>	8
Statistics and truth in phylogenomics <i>S. Kumar</i>	9
Measuring and representing incongruence in phylogenetic forests <i>F.-J. Lapointe</i>	10
Revolution in zoology: New bilaterian phylogeny <i>V. Malakhov</i>	14
Mutational dynamics and phylogenetic utility of plastid DNA <i>D. Quandt, K. Müller, and Th. Borsch</i>	16
Paleogenomics in silico: Reconstruction of ancestral genomes in vertebrates using gene phylogenies <i>H. Roest Crollius</i>	18
Employing molecular phylogenetic hypotheses to reconstruct temporal-spatial events shaping the tree of life <i>H. Schneider</i>	19
The instability of the animal tree of life: Causes of error in molecular systematics <i>J. W. Wägele</i>	20
Search for a Tree of Life in the phylogenetic forest <i>Y. I. Wolf, P. Puigbò, and E. V. Koonin</i>	21

Origins and diversification of a complex signal transduction system in prokaryotes <i>K. Wuichet and I. B. Zhulin</i>	22
---	----

Part II SECTION CONTRIBUTIONS 23

Molecular phylogeny of speciose genus <i>Microtus</i> (Arvicolinae, Rodentia) inferred from nuclear genes with subsequent systematic implications <i>N. I. Abramson and A. Yu. Kostygov</i>	25
Population genetic analysis of <i>Deschampsia antarctica</i> from two regions of Maritime Antarctica <i>I. O. Andreev, K. V. Spiridonova, S. S. Kyryachenko, I. Yu. Parnikoza, D. M. Maidaniuk, I. A. Kozeretska, and V. A. Kunakh</i>	26
Molecular phylogenetics and phylogeography of Palearctic coregonid fishes (Coregonidae, Salmoniformes, Teleostei) with special reference to whitefishes of southern Siberia <i>N. A. Bochkarev, E. I. Zuykova, A. V. Katokhin, N. Yu. Gordon, S. N. Baldina, and D. V. Politov</i>	27
Significance of sperm morphology and 18 and 28S rRNA gene nucleotide sequences of brachiopods for their systematics and phylogeny <i>A. L. Drozdov, V. V. Vinnikova, S. A. Tyurin, I. P. Vladychenskaya, and N. B. Petrov</i>	29
The new algorithm for reconstruction of large phylogenies of complete human mitochondrial DNAs <i>N. P. Eltsov</i>	30
Place of origin of the genus <i>Allium</i> : Key study of the subgenera <i>Amerallium</i> and <i>Anguinum</i> <i>N. Friesen</i>	31
Diversity and phylogeny of chloroplast genomes in D-genome <i>Aegilops</i> group based on cpSSR data <i>S. V. Goryunova, N. N. Chikida, E. D. Badaeva, and V. A. Pukhalskiy</i>	32
Short Interspersed Elements of Squamate reptiles <i>V. V. Grechko, S. A. Kosushkin, O. R. Borodulina, F. G. Butaeva, and I. S. Darevsky</i>	33
Computer system for analysis of molecular evolution modes of protein-coding genes: Relation of molecular evolution with the phenotypical features of organisms <i>K. V. Gunbin, D. A. Afonnikov, M. A. Genaev, and N. A. Kolchanov</i>	34

Ten years of molecular studies of the bryophyte family Brachytheciaceae: Results and perspectives <i>S. Huttunen and M. S. Ignatov</i>	35
Assembling multigene datasets for deep phylogeny with iPhy <i>M. Jones and M. Blaxter</i>	36
Genetics of speciation in animals: Inferences from sequence divergence at <i>Co-1</i> and <i>Cyt-b</i> mtDNA on different taxonomic levels <i>Yu. Ph. Kartavtsev</i>	37
Molecular phylogeny in systematics of oligochaeta: Pro et contra <i>I. A. Kaygorodova</i>	38
Next-generation de novo genomic sequencing of an obligate biotrophic plant pathogen, <i>Albugo laibachii</i> <i>E. Kemen, A. Gardiner, A. Balmuth, T. Schultz-Larsen, A. Robert-Seilanianantz, K. Bailey, A. Kemen, and J. Jones</i>	39
Molecular phylogeny of the genus <i>Batrachocottus</i> of Lake Baikal Cottoid fish: The new view on the structure and evolution <i>S. V. Kirilchik, V. I. Teterina, V. M. Yakhnenko, C. Poux, B. E. Bogdanov, and E. Verheyen</i>	40
Molecular taxonomy and phylogeny of <i>Capsicum</i> <i>E. Z. Kochieva and N. N. Ryzhova</i>	41
Plant plastids and cyanobacteria: Common genes and evolution <i>O. A. Koksharova</i>	42
Comparison of protein phylogeny reconstruction methods on natural protein sequences <i>M. S. Krivozubov and S. A. Spirin</i>	44
Phylogeographic patterns of vertebrates in the Russian Far East <i>A. P. Kryukov</i>	45
The gene and lineage effects affect topology of phylogeny trees in the <i>Drosophila virilis</i> species group <i>A. M. Kulikov and O. E. Lazebny</i>	46
Molecular-genetic study of tulips (subgenus <i>Eriostemones</i>) <i>N. A. Kutlunina, M. I. Zhrebtsova, and V. V. Kotseruba</i>	47
Haplotype diversity of Bulgarian red deer (<i>Cervus elaphus</i> L.) <i>M. V. Kuznetsova and G. G. Markov</i>	49
Independent origin of the barb (<i>Labeobarbus</i> , Cyprinidae) species flocks in the four river systems of Ethiopia: Evidence from mitochondrial DNA sequences <i>B. A. Levin, A. S. Golubtsov, Yu. Yu. Dgebuadze, N. S. Mugue, and I. Doadrio</i>	51

Molecular phylogeny of cercarial isolates of Russian and Belorussian bird schistosomes (Schistosomatidae, Trematoda) and its intermediate snail hosts as inferred the ITS2 rDNA sequences <i>A. A. Lopatkin, G. G. Chisanfova, V. A. Vasilyev, M. V. Voronin, V. A. Mischenkov, O. P. Zazornova, S. A. Beer, T. V. Zhukova, A. P. Ryskov, and S. K. Semyenova</i>	52
Fast and slow evolution of bacterial type promoters in plastids of Streptophyta <i>V. Lyubetsky and A. Seliverstov</i>	54
A new concept of <i>ontogenetic systematics</i> : Toward to synthesis of taxonomy, ontogeny, and phylogenetics <i>A. V. Martynov</i>	55
Correlation between nucleosome formation potential of 5' -UTR and elongation efficiency index of coding sequences of <i>S. cerevisiae</i> genome <i>Yu. G. Matushkun, V. A. Likhoshvai, and V. G. Levitsky</i>	57
Habitat associated convergent evolution in mosses — the Neckeraceae as an example <i>S. Olsson, V. Buchbender, J. Enroth, L. Hedenäs, S. Huttunen, and D. Quandt</i>	58
Evolutionary fate of CpG and CNG clusters in mammals <i>N. Oparina, M. Fridman, and V. Makeev</i>	60
Studying brown algae: Integration of genomics, transcriptomics, and DNA physical properties data in the model <i>Ectocarpus</i> portal <i>A. A. Osyrov, K. Billiau, L. Sterck, S. Dittami, T. Tonon, Y. Van de Peer, and M. Cock</i>	61
Development of a new system of genetic markers for Kamchatkan mykiss (<i>Parasalmo (O.) mykiss</i>) as approach to study salmonic fish populations <i>S. D. Pavlov, M. N. Melnikova, A. L. Senchukova, and E. A. Pivovarov</i>	63
New insight into phylogeny of Mesozoa: Evidence from 18 and 28S rRNA genes <i>N. B. Petrov, V. V. Aleoshin, A. N. Pegova, M. V. Ophitserov, and G. S. Slyusarev</i>	64
Gene trees vs. species trees in reconstructing complex relationships: The case of <i>Rosa</i> <i>I. A. Schanzer</i>	65
Genetic differentiation and relationships among the North Asia for species (<i>Abies</i> Mill., Pinaceae), inferred from cytoplasmic and nuclear DNA variation <i>S. A. Semerikova, M. A. Polezhaeva, and V. L. Semerikov</i>	66

Current state of molecular studies of microevolutionary processes in Baicalian endemic invertebrates <i>D. Yu. Sherbakov</i>	67
Spatial genetic structure of the metapopulation of <i>Melittis sarmatica</i> <i>Klok.</i> on the territory of Volkovysk Elevation (Belarus) <i>A. V. Shevkunova and O. Yu. Urbanovich</i>	68
Microevolution and development theory and practice of plant improvement <i>Yu. Sivolap</i>	69
Comparing morphological and molecular data as sources of phylogenetic information: Morphological cladistic analysis of <i>Anthyllis</i> (Leguminosae, Loteae) <i>D. D. Sokoloff, G. V. Degtjareva, T. H. Samigullin,</i> <i>and C. M. Valiejo-Roman</i>	70
Phylogeny of the sunwatcher agama species complex, <i>Phrynocephalus helioscopus</i> (Reptilia, Agamidae) inferred from mitochondrial and nuclear DNA markers <i>E. N. Solovyeva, N. A. Poyarkov, E. A. Dunayev,</i> <i>and A. A. Bannikova</i>	71
Complete mitochondrial genome sequence of <i>D. littoralis</i> (Diptera: Drosophilidae): Comparative analysis of the mitochondrial genomes in <i>Drosophila virilis</i> species group <i>S. Yu. Sorokina, B. V. Andrianov, and V. G. Mitrofanov</i>	72
Acquisition of animal parasitism in the evolution of nematodes: Counting cases <i>S. E. Spiridonov and E. S. Ivanova</i>	73
Tool and methods for analysis of the gene networks evolution <i>V. S. Timonov, K. V. Gunbin, I. I. Turnaev, and D. S. Miginsky</i>	74
Phylogenetic information content of the ribosomal DNA repeat unit in the Cyclopoida (Crustacea) <i>M. V. Zagoskin, A. K. Grishanin, A. B. Nikishina,</i> <i>and D. V. Mukha</i>	75
Phylogenetic relationships of wild and cultivated peas as inferred from <i>His5</i> gene sequences <i>O. O. Zaytseva, O. E. Kosterin, and V. S. Bogdanova</i>	76
Part III POSTER CONTRIBUTIONS	77
Phylogenetic relationships among leafy <i>Brassica rapa</i> L. types <i>A. M. Artemyeva</i>	79

Phylogenetic relationships and species composition in the genus <i>Niviventer</i> (Rodentia: Muridae) in Vietnam as inferred from mitochondrial cytochrome <i>b</i> gene <i>A. E. Balakirev and V. V. Rozhnov</i>	80
Molecular phylogeny of the genus <i>Sicista</i> (RODENTIA, DIPODOIDEA) based on nuclear and mitochondrial data <i>M. I. Baskevich and S. G. Potapov</i>	81
Phylogenetic affiliation of fluorescent pseudomonads from Belarusian collection of nonpathogenic microorganisms <i>D. P. Bazhanov and K. K. Yatsевич</i>	82
Intraspecific differentiation in <i>Harmonia axyridis</i> Pall. by complex of morphological polymorphic features and variability of mitochondrial gene <i>COI</i> <i>A. V. Blekhan, I. A. Zakharov, and I. I. Goryacheva</i>	83
Using DNA sequences of two mitochondrial genes (<i>COI</i> and <i>COII</i>) for taxonomy and phylogeny of Acrididae grasshoppers (Orthoptera, Caelifera, Acridoidea) <i>A. Bugrov and A. Blinov</i>	84
Genetic polymorphism of small nationality — Nagaibaks living in Chelyabinsk region <i>A. L. Burmistrova, O. N. Zaripova, T. A. Suslova, S. V. Timopheeva, and M. S. Chernova</i>	85
Structure of the proteins and latent periodicity in the genes <i>M. B. Chaley and V. A. Kutyrkin</i>	86
RAPD-PCR analysis of mutant lines <i>Arabidopsis Thaliana</i> (L.) HEYNH. <i>T. N. Checheneva, O. M. Medved', D. A. Kiselev, and A. V. Dubin</i>	88
Phylogeny of the <i>Drosophila virilis</i> group based on the <i>Ras1</i> gene sequences <i>A. I. Chekunova, S. S. Mikhailovskii, I. V. Lazebnaya, and V. G. Mitrofanov</i>	89
Molecular evolution of the plastid <i>psbA-trnH</i> intergenic spacer in the Apiaceae–Apioideae genera with short spacer length <i>G. V. Degtjareva, E. I. Terentieva, C. M. Valiejo-Roman, T. H. Samigullin, and E. V. Kljuykov</i>	91
RAPD and ISSR markers for study of genetic variation among parsley accessions (<i>Petroselinum crispum</i> (Mill.) Nym.) <i>A. Domblides, E. Domblides, V. Kharchenko, and G. Potekhin</i>	93
Estimation of genetic diversity and phylogenetic relationships in A and C genome accessions of <i>Brassica</i> using RAPD markers <i>E. Domblides, A. Domblides, V. Startsev, and L. Bondareva</i>	94
Mathematical modeling of intraspecific evolution of plague agent <i>G. A. Eroshenko, Yu. P. Volkov, A. A. Eroshenko, and V. V. Kutyrin</i>	95

Molecular phylogenetic analysis of mitochondrial genes of diatoms <i>Yu. P. Galachyants</i>	96
Carbohydrate and mineral exchanges of children of Chukotka in ontogeny <i>T. V. Godovykh</i>	97
Finding homology of diatoms frustulins to proteins of plant and animal origin <i>K. S. Golokhvast and I. A. Pamirskiy</i>	98
Genotyping of tomato lines and varieties from Belarussian collections using SSR and <i>Cf</i> markers <i>Z. E. Grushetskaya, S. V. Malyshev, V. A. Lemesh, and A. V. Kilchevsky</i>	99
PEFF DB: The manually curated database of protein evolutionary and functional features <i>K. V. Gunbin, D. A. Afonnikov, M. A. Genaeu, and N. A. Kolchanov</i>	100
Evolution of GTF2I gene family <i>K. V. Gunbin, I. V. Medvedeva, V. A. Ivanisenko, and A. O. Ruvinsky</i>	101
Morphometric and mitochondrial DNA analysis of Pangasiid catfish species (Teleostei:Pangasiidae) from Peninsular Malaysia: Implications on potential aquaculture impacts on the natural indigenous Pangasiid populations <i>B. Haslawati, M. Rizman-Idid, A. R. Zulkafli, S. Muniandy, and M. Zakaria-Ismail</i>	102
To the question about molecular bases of plant ecology <i>R. S. Ivanov, G. H. Vafina, and E. A. Ivanova</i>	103
Intron-containing genes indicate divergence of eukaryotes <i>A. Kabdullina, M. Tauasarova, A. Ivachshenko, S. Atambayeva, and V. Khailenko</i>	105
Phylogenetic relationships in <i>Fagopyrum</i> species based on nucleotide polymorphism of b/c intron of <i>nad1</i> gene <i>G. D. Kadyrova and E. Z. Kochieva</i>	106
Evolution and mobile elements <i>R. N. Kalendar</i>	107
Enzyme loci variability of <i>Picea abies</i> (L.) Karst. and <i>P. obovata</i> Ledeb. in progressive zone proveniences <i>I. I. Kamalova, E. N. Nakvasina, N. I. Vnukova, A. I. Iroshnikov, and A. M. Shutyaev</i>	109
Cladistic analysis of plant homologs of human microtubule- and cell cycle related serine-threonine protein kinases <i>P. A. Karpov, E. S. Nadezhdina, A. I. Yemets, and Ya. B. Blume</i>	110

Detection of insertion sequences in mtDNA: What transmission routes are probable in fish and birds, gender, horizontal or both? <i>Yu. Ph. Kartavtsev</i>	111
Sequence divergence within Altai Osmans genus <i>Oreoleuciscus</i> (Pisces, Cyprinidae, Leuciscinae) based on mtDNA <i>Co-1</i> gene <i>Yu. Ph. Kartavtsev, N. M. Batishcheva, S. N. Sharina, and N. G. Bogutskaya</i>	112
Investigation of scorpionfish and perch-like species of Russia on <i>Co-1</i> gene sequence data with phylogenetic and taxonomic outcomes <i>Yu. Ph. Kartavtsev, S. N. Sharina, S. V. Turanov, and A. A. Advolodkin</i>	113
Molecular phylogenetic and demographic history of Baikal oligochaete populations <i>I. A. Kaygorodova and Yu. S. Bukin</i>	114
Comparison of fish tissue storage methods for DNA extraction in phylogenetic studies <i>E. Keskin</i>	115
Studying of phylogenetic mutual relations between the apple cultivars of the Ukrainian and foreign breeding <i>D. A. Kiselev and T. N. Checheneva</i>	116
Associations between the White Sea invertebrates and oxygen-evolving phototrophic microorganisms: A phylogenetic study <i>O. A. Koksharova, T. R. Kravzova, T. A. Fedorenko, E. O. Omarova, O. A. Gorelova, O. I. Baulina, and E. S. Lobakova</i>	118
Cyst-forming trypanosomatids: Molecular phylogeny recruits morphology to challenge taxonomy <i>A. Yu. Kostygov</i>	119
Population and genetic structure of pedunculate oak in Belarus on the basis of analysis of variation of nuclear and chloroplast loci <i>O. A. Kovalevich, D. I. Kagan, and S. V. Panteleev</i>	120
Molecular markers for maize genetics resources evaluation <i>N. E. Kozhukhova</i>	121
DNA-barcoding as methods of identification of mites <i>S. V. Kravchenko, A. V. Alexandrenko, and A. V. Tolstikov</i>	122
Phylogenetic relationships of endemic <i>Paratanytarsus baicalensis</i> Tshern. to some genera of the tribe Tanytarsini (Diptera: Chironomidae) <i>L. S. Kravtsova, D. Yu. Sherbakov, and O. V. Mayer</i>	123

Functional comparison of mitochondrial endonuclease EndoG and prokaryotic <i>Serratia marcescens</i> and <i>Anabaena sp.</i> endonucleases <i>E. V. Kryakounova, R. G. Khamidullina, and O. A. Gimadutdinov</i>	124
Molecular-genetic study of <i>Woodsia calcarea</i> (Fomin) Schmakov population <i>A. A. Kuznetsov, M. G. Kutsev, A. I. Shmakov, I. I. Gureeva, and A. V. Vaganov</i>	125
To the peculiarities of Influenza A virus evolution. Statistical analysis of virus genome and prediction of variable regions in primary structure of matrix M1 protein <i>M. A. Kuznetsova, U. A. Pekov, A. L. Ksenofontov, L. V. Kordyukova, and V. L. Drutsa</i>	127
The speciation <i>in status nascendi</i> of the Siberian apple-tree of the species <i>Malus baccata</i> (L.) Borkh <i>E. V. Kuznetsova, T. E. Peretolchina, D. Yu. Sherbakov, and A. V. Rudikovskiy</i>	128
Phylogenetic relationships within the algae scraping cyprinid genus <i>Capoeta</i> (Teleostei: Cyprinidae) <i>B. A. Levin, J. Freyhof, Z. Lajbner, S. Perea, and I. Doadrio</i>	130
Independent origin of periphyton scrapers among the African polyploid barbins (Cyprinidae): Polyphyly of the genus <i>Varicorhinus</i> inferred using mitochondrial DNA sequences <i>B. A. Levin, N. S. Mague, Yu. Yu. Dgebuadze, and A. S. Golubtsov</i>	131
The evolution of proline synthesis transcription regulation in gamma proteobacteria <i>K. Lopatovskaya, K. Gorbunov, L. Rusin, A. Seliverstov, and V. Lyubetsky</i>	132
Evolution of NtcA- and NtcB-regulons in cyanobacteria and rhodophyte chloroplasts <i>K. Lopatovskaya, L. Rusin, A. Seliverstov, and V. Lyubetsky</i>	134
A new set of markers for human identification based on 32 polymorphic Alu insertions <i>I. Z. Mamedov, S. V. Ustyugova, D. A. Shagin, and Y. B. Lebedev</i>	136
The RAPD-analysis of perennial sunflower species <i>Helianthus rigidus</i> Desf. <i>N. V. Markin, M. A. Tikhonova, V. A. Gavrilova, and A. V. Usatov</i>	137
Molecular phylogeny of Cockroaches (Dictyoptera, Blattina) based on comparative analysis of ribosomal DNA <i>V. A. Mavropulo, S. V. Lukyantsev, L. N. Anisyutkin, and D. V. Mukha</i>	138

Molecular phylogeny of <i>Schistidium</i> (Grimmiaceae, Musci) <i>I. A. Milyutina, E. A. Ignatova, M. S. Ignatov, D. V. Goryunov,</i> <i>and A. V. Troitsky</i>	139
Phylogenetic analysis of the GH114 family of glycoside hydrolases <i>D. G. Naumoff and O. O. Stepuschenko</i>	140
Hexadecanoid pathway in plants <i>E. V. Osipova, Yu. V. Gogolev, and A. N. Grechkin</i>	141
Using DEPPDB — DNA electrostatic and other physical properties database — in the evolutionary studies <i>A. A. Osypov, G. G. Krutinin, E. A. Krutinina,</i> <i>P. M. Beskaravayny, and S. G. Kamzolova</i>	142
The speciation and the evidence of the mitochondrial introgression in the endemic species of mollusks of the genus <i>Baicalia</i> <i>T. E. Peretolchina, A. V. Novikov, and D. Yu. Sherbakov</i>	143
Evolutionary relationships of <i>Calyptogenia</i> -species (Bivalvia, Vesicomyiidae) from Western Pacific <i>N. B. Petrov, I. P. Vladychenskaya, E. M. Krylova,</i> <i>and B. A. Marshall</i>	144
Use of molecular markers for studying species of <i>Lupinus</i> <i>S. V. Petruchenya, V. S. Anokhina, L. N. Kaminskaya,</i> <i>and I. B. Sauk</i>	145
Estimation of genetic diversity and phylogenetic relationships <i>Achillea glaberrima</i> Klokov and <i>Achillea leptophilla</i> Bieb. using RAPD analysis <i>Ya. V. Pirko, L. P. Taranets, O. A. Shakula, I. I. Korshikov,</i> <i>and Ya. B. Blume</i>	147
Cytoplasmic DNA variation and biogeography of <i>Larix</i> Mill. in Northeast Asia <i>M. A. Polezhaeva and O. S. Dymshakova</i>	148
Identification of unique cryptosporidium sites using the technique of massively parallel computing based on CUDA <i>M. A. Potehina, S. V. Fironov, and A. A. Pogoda</i>	149
Revegetation on the landfills for the purpose of landscape improvement <i>O. V. Potipak</i>	150
Patterns of a variation of levels of genetic differentiation in the Asian and American populations of species of Pacific Salmon (Oncorhynchus, Salmoniformes) <i>S. P. Pustovoit</i>	152
Phylogenetic relationships of the genus of <i>Mus</i> using t-specific microsatellite markers of DNA <i>L. D. Safronova, S. G. Potapov, V. G. Petrosyan,</i> <i>and A. I. Chekunova</i>	153

Structure of AFLP based genetic diversity in the populations of <i>Abies sibirica</i> Ledeb <i>S. A. Semerikova and V. L. Semerikov</i>	154
Molecular phylogeny and taxonomy studies of the family Pleuronectidae (Pisces: Pleuronectiformes) from North-West Pacific based on two mtDNA genes, <i>Co-1</i> and <i>Cyt-b</i> <i>S. N. Sharina and Yu. Ph. Kartavtsev</i>	155
Phylogenetic interrelations in population of <i>Aesculus hippocastanum</i> L. (Kyiv, Ukraine) <i>E. E. Shavanova, D. A. Kiselev, and T. N. Checheneva</i>	156
Molecular markers of Dolly Varden adaptive divergence <i>E. A. Shubina, M. A. Nikitin, E. V. Ponomareva, and O. F. Gritsenko</i>	157
Phylogenetic position of <i>Colpodella angusta</i> , and affiliation of photosynthetic organism <i>Chromera velia</i> to colpodellids as inferred from molecular phylogeny analysis using small subunit rRNA gene sequences <i>T. G. Simdyanov, M. V. Ophitserov, A. P. Mylnikov, and V. V. Aleoshin</i>	158
Localization of DNA sequences tightly associated with synaptonemal complex in compositional fractions of golden hamster and human genome <i>T. V. Sizova, O. I. Karpova, M. V. Penkina, and Yu. F. Bogdanov</i>	160
Polymorphism of mitochondrial genome of sable (<i>Martes zibellina</i> L.): Comparison of natural and domesticated populations <i>S. Yu. Sorokina, B. V. Andrianov, I. I. Goryacheva, O. E. Lazebny, and S. N. Kashtanov</i>	161
Analysis of protein length isoforms in prokaryotes for single-domain proteins <i>P. A. Starostina, D. A. Afonnikov, and K. V. Gunbin</i>	162
Evolution of Lake Baikal coregonine fishes: Is it an example of periodic intra-lacustrine adaptive diversification? <i>L. V. Sukhanova, T. V. Belomestnikh, S. V. Kirilchik, V. V. Smirnov, and N. S. Smirnova-Zalumi</i>	163
Reproductive strategy of the sable (MARTES ZIBELLINA L.): The analysis of heritability of litter size in farmed population <i>G. R. Svishcheva and S. N. Kashtanov</i>	164
Comparative nuclear and chloroplast markers analysis reveals the polyphyly of the tribe Coriandreae (Umbelliferae-Apioideae) <i>E. I. Terentieva, C. M. Valiejo-Roman, T. H. Samigullin, M. G. Pimenov, and E. V. Kljuykov</i>	165

Single nucleotide polymorphism markers in genetic stock identification of Lake Baikal oilfishes <i>V. I. Teterina, A. M. Mamontov, and S. V. Kirilchik</i>	166
Molecular-genetic identification of Russian sturgeon (<i>Acipenser gueldenstadtii</i>) and beluga (<i>Huso huso</i>) for aquaculture <i>N. N. Timoshkina, A. E. Barmintseva, and D. V. Kovalenko</i>	167
Origin of the CYP74 family of cytochromes P450 diversity based on results of site-directed mutagenesis <i>Ya. Yu. Toporkova, L. Sh. Muchtarova, Yu. V. Gogolev, and A. N. Grechkin</i>	169
Swine, avian and human influenza and the origins of the influenza A (H1N1) pandemic strain <i>F. Torrens and G. Castellano</i>	170
The bioinformatical analysis of promoter regions <i>p53</i> and <i>ob</i> genes at mammals <i>V. A. Trofimov, S. N. Palaev, A. V. Nikulin, A. M. Oreshin, and E. N. Lopukhova</i>	171
Microchromosomes of Aves are genetically changeable <i>A. V. Trukhina and A. F. Smirnov</i>	172
Genetic differentiation of the zokors (Rodentia, Myospalacinae) inferred from variation of two mitochondrial DNA markers: Cytochrome <i>b</i> and control region <i>M. V. Tsvirka, M. V. Pavlenko, and V. P. Korablev</i>	173
The relationship between evolutionary changes in cyclins and increasing the complexity of eukaryotes <i>I. I. Turnaev, K. V. Gunbin, V. V. Suslov, and D. A. Afonnikov</i>	174
SSR-allele polymorphism of pear cultivars growing in Belarus <i>O. Yu. Urbanovich, Z. A. Kazlouskaya, V. A. Yakimovich, and N. A. Kartel</i>	175
Variability of representatives genus <i>Asplenium</i> L. from Altai based on RAPD-PCR <i>O. V. Uvarova and A. I. Shmakov</i>	176
Intra- and interspecies evolution of three noncoding DNA regions in Apiaceae plant family <i>C. M. Valiejo-Roman and V. S. Shneyer</i>	178
Phylogenetic analysis of six-domain multicopper blue proteins <i>A. V. Vasin, S. A. Klotchenko, and L. V. Puchkova</i>	179
On molecular phylogeny and systematics of suborder Cephaloziiineae (Jungermanniales, Marchantiophyta) <i>A. A. Vilnet, N. A. Konstantinova, and A. V. Troitsky</i>	180

Analysis of the degenerate motifs in 5'-regulatory regions of brain-specific miRNA genes of primates <i>O. V. Vishnevsky, K. V. Gunbin, A. V. Bocharnikov, and E. V. Berezikov</i>	182
A molecular phylogeny of the subgenus <i>Polyommatus</i> (s. str.) based on mitochondrial COI sequence (Lepidoptera: Lycaenidae) <i>D. I. Vodolazhsky and B. V. Stradomsky</i>	183
Multilocus sequence typing is an important approach of molecular ecology <i>O. L. Voronina, M. S. Kunda, V. G. Lunin, and A. L. Gintsburg</i>	185
Species differences of coagulase-negative staphylococci from two hospitals demonstrated by genotyping <i>O. L. Voronina, M. S. Kunda, M. E. Subbotina, V. G. Lunin, and O. A. Dmitrenko</i>	186
Genotyping in decision of problem of <i>Bifidobacterium</i> species identification by biochemical approach <i>O. L. Voronina, M. S. Kunda, M. E. Subbotina, O. G. Zhilenkova, and A. M. Amerkhanova</i>	187
Genetic heterogeneity and divergence chicken with roots of fight breeds <i>A. F. Yakovlev, V. I. Tishenko, N. V. Dementeva, O. V. Mitrofanova, and V. P. Terletsky</i>	188
A comparative analysis of the <i>hsp70</i> genes system in two species of the family Stratiomyidae (Diptera) <i>I. A. Yushenova, O. G. Zatsepina, A. A. Przhiboro, M. B. Evgen'ev, and D. G. Garbuz</i>	189
Phylogenetic analysis of human P[8]G9 rotavirus strains circulating in Novosibirsk, Western Siberia during 2004–2009 <i>E. V. Zhirakovskaya, A. Yu. Tikunov, and N. V. Tikunova</i>	190
AUTHOR INDEX	192